

Pergo Cloud







Pergo Cloud




Pergo Cloud

Pergo Cloud destaca por su robustez gracias a sus perfiles que asimismo, ofrecen unas grandes dimensiones.

Pergo Cloud stands out for its robustness, thanks to its profiles, which also offer large dimensions.


Pensado para instalar en

- Designed for installation in



Sujeción

- Fastening



Recomendado hasta

- Recommended for up to

Sin cerramientos Without enclosures	Cerramiento lona Fabric enclosure	Cerramiento vidrio Glass enclosure
5,00 línea x 6,00 salida (m) 5,00 width x 6,00 projection (m)	5,00 línea x 6,00 salida (m) 5,00 width x 6,00 projection (m)	4,00 línea x 4,00 salida (m) 4,00 width x 4,00 projection (m)

Se distingue por

- Distinguished by

- Pérgola de vigas horizontales y palillos curvados.
- Lona tensada.
- Drenaje por bajantes a través de los postes (poste seco, se puede definir en obra).
- Estanqueidad asegurada por juntas, sin silicona. **Patentado.**
- Capitel de diseño único, y que no guarda mano. Válido para pared o autoportante.
- Guías y postes premontados en taller.
- Unión suelo atornillable a sistema completado. Permite cuadrar diagonales y fijar a última hora.
- Fácil operación de tensado de correa (mantenimiento).
- Fácil cableado, conectores plug&play.
- No necesita mecanizados, sólo taladros con ayuda de plantillas.
- Tapa con paso para conectores.
- Tapas en aluminio lacadas en color de estructura (esquineros y uniones suelo).
- Uniones suelo invisibles.
- Pergola with horizontal beams and curved fabric profiles.
- Tensioned fabric.
- Drainage through downspouts in the posts (dry post, can be defined on-site).
- Watertightness ensured by joints, without silicone. **Patented.**
- Uniquely designed capital, suitable for both wall-mounted or freestanding structures.
- Guides and posts pre-assembled in the workshop.
- Floor union screwed into the completed system, allowing for diagonal alignment and last-minute adjustments.
- Easy belt tension operation (maintenance).
- Easy wiring, plug-and-play connectors.
- No machining required, only drilling with the help of templates.
- Fabric profiles covers with passage for connectors
- Aluminum covers lacquered in the structure's color (corners and floor unions).
- Invisible floor unions.



L = Línea • Width
S = Salida • Projection
A = Altura • Height



Autoportante
Self-Standing



Entre Paredes
Between Walls



Pared Portería
On facade